NO SPECIAL RED



ARDEX EG 8 PLUS

Easy to Apply & Clean Epoxy Tile Grout & Adhesive

COMBINING THE CHEMICAL RESISTANCE OF EPOXY GROUTS WITH THE ENHANCED APPLICATION PROPERTIES OF CEMENT BASED GROUTS



ARDEX EG 8 PLUS is an epoxy tile grout and adhesive with excellent resistance to most chemicals but, unlike traditional epoxies, it is easy to apply, requires no special tools and can be cleaned off the tile surface in as little as 15 minutes and up to 60 minutes after application.

ARDEX EG 8 PLUS is formulated to be chemically resistant, and is also waterproof and abrasion resistant. The result is a finish that is hygienic, durable and impervious, making it ideal for use in:

- Bathrooms
- Swimming pools
- Hydrotherapy and spa baths
- Hospitals
- Domestic and commercial food preparation areas



ARDEX EG 8 PLUS achieves the lowest possible emission limits

ARDEX EG 8 PLUS can withstand full loads after 2 days' curing, and after 7 days is resistant to aqueous salt solutions, chlorine water, commercial cleaning agents and a wide range of dilute mineral acids. It can also be used as a floor or mosaic wall tile adhesive in areas where a chemically resistant adhesive bed is required.



Joint width: 1-10mm

Clean off time: 15-60 minutes

External use: Yes
Pack size: 4kg
Underfloor heating: Yes





Easy Application



Tools required



Apply ARDEX EG 8 PLUS with a standard squeegee




Remove excess ARDEX EG 8 PLUS from the surface



Wash off any residue when the grout is slightly hardened in the joints, in as little as 15 minutes and up to 60 minutes after application



Clean down the tile surface to remove emulsified residues



Finished application

Colours Available







Silver Grev





Due to printing processes, all colours are approximate.

ARDEX EG 8 PLUS

Easy to Apply & Clean Epoxy Tile Grout & Adhesive



Epoxy tile grout with the enhanced application properties of cement based tile grouts

ARDEX ST Neutral Cure Elastic Silicone Sealant

ARDEX ST is available in Transparent and 13 colours. Easy to apply with excellent adhesion properties. ARDEX ST is also suitable for use with moisture sensitive natural stone.

> ARDEX UK Limited Tel: 01440 714939



4460: November 2019







